

# Fluorodyne® VA and Fluorodyne® TF Filters



## **Description**

Fluorodyne VA filters and Fluorodyne TF filters are specifically designed to provide rapid bath clean up in recirculating nickel plating baths. They are also ideally suited for use in recirculated cleaning baths of DI water and alkaline soaps.

Rated at 0.2  $\mu$ m and 0.1  $\mu$ m, Fluorodyne VA and TF filters offer spontaneous wettability, fast bath turnover rates and excellent bath clean up characteristics

- Spontaneously wets in Ni plating and DI water/alkaline soap mixtures
- Very high flow rates
- Low differential pressure
- Low extractables
- Manufactured in a cleanroom environment

## **Specifications**

#### Materials

- Medium: Hydrophilic PVDF
- Core, cage, and end caps: Polypropylene
- Support and drainage: Polypropylene
- O-ring options:Teflon¹ encapsulated
   Viton¹, Viton and EPR

#### **Removal Ratings**

• 0.1 μm, and 0.2 μm in recirculation mode

#### Filter Areas

- AB1 Style
   254 mm / 10 in
  - Fluorodyne VA: 0.86 m<sup>2</sup> / 9.25 ft<sup>2</sup>
  - Fluorodyne TF: 1.25 m<sup>2</sup> / 13.5 ft<sup>2</sup>

#### Configurations

- AB1 Style
   Nominal length: 254 mm / 10 in
   Diameter: 70 mm / 2.75 in
- O-ring size/end caps: Code 3: 222 double O-ring/flat end Code 7: 226 double O-ring locking tab/finned end
- Diameter: 70 mm / 2.75 in


#### **Operating Conditions**

- Maximum operating temperature: 95°C / 203°F
- Maximum forward differential pressure:
  - Fluorodyne VA: 0.48 MPa @ 82°C / 70 psid @ 180°F
  - Fluorodyne TF: 0.31 MPa @ 93°C / 45 psid @ 200°F

## **Recommended Applications**

- Recirculating nickel plating
- Recirculating water/alkaline soaps
- Viton and Teflon are registered trademarks of E. I. du Pont de Nemours and Company.

## Pressure Drop vs. Liquid Flow Rate<sup>2</sup>



<sup>&</sup>lt;sup>2</sup> For liquids with a viscosity differing from water, multiply the pressure drop by the viscosity in centipoise.

## **Part Numbers / Ordering Information**

Part Number <sup>3</sup>	Removal Rating (um)	Nominal Length (mm / in)	Configuration Code	O-Ring Material <sup>4</sup>
AB1VA3H1	0.2	254 / 10	3	Teflon encapsulated Viton
AB1VA3J	0.2	254 / 10	3	EPR
AB1VA3HF <sup>3</sup>	0.2	254 / 10	3	Viton
AB1VA7H1	0.2	254 / 10	7	Teflon encapsulated Viton
AB1UTF3H1	0.1	254 / 10	3	Teflon encapsulated Viton
AB1UTF3J	0.1	254 / 10	3	EPR
AB1UTF3HF	0.1	254 / 10	3	Viton
AB1UTF7H1	0.1	254 / 10	7	Teflon encapsulated Viton

 $<sup>^3</sup>$  The above filter configurations are also available in 508 mm / 20 in, 762 mm / 30 in, and 1016 mm / 40 in lengths. These can be ordered by changing the fourth digit in the part number to a 2, 3 or 4, respectively.

Unit conversion: 1 MPa = 10 bar



25 Harbor Park Drive Port Washington, New York 11050

1.800.360.7255 toll free (only in US) 1.516.484.3600 phone 1.516.625.3610 fax microelectronics@pall.com

## Visit us on the Web at www.pall.com/micro

Pall Corporation has offices and plants throughout the world.

<sup>4</sup> Other O-ring materials are available.

<sup>©</sup> Copyright 2007, Pall Corporation. Pall, Pall, Orgonia , and Fluorodyne are trademarks of Pall Corporation. © Indicates a Pall trademark registered in the USA. Filtration. Separation. Solution. •• is a service mark of Pall Corporation.