

Description

The Emflon PF filter is an all fluoropolymer pleated filter designed for 3 nm filtration of bulk aggressive process gases.

Features & Benefits

- All fluoropolymer construction
- High temperature and pressure capabilities
- Optimized cartridge design
- High flow rates vs. differential pressure
- Low extractables
- Manufactured in a cleanroom environment
- 100% integrity tested




Specifications

Materials of Construction

Components	Materials
Filter Medium	PTFE
Media Support	PTFE
Core, Cage and End caps	PFA
Sealing Methods	Melt seal
O-ring	FEP encapsulated fluoroelastomer

Configurations	AB1	AB2	AB04
Nominal Filter Areas	0.56 m ² / 6 ft ²	1.1 m ² / 12 ft ²	0.24 m ² / 2.6 ft ²
Nominal Length	254 mm / 10 in	508 mm / 20 in	102 mm / 4 in
Diameter	70 mm / 2.75 in		
O-ring Size / End Caps	Code 3 (222 double O-ring / flat end) Code 15 (226 double O-ring bayonet lock / flat end)		
Removal Ratings	≥ 3 nm		
Maximum Operating Temperature	185 °C / 365 °F		
Maximum Forward Differential Pressure	0.69 MPa @ 50 °C / 100 psid @ 120 °F 0.41 MPa @ 110 °C / 60 psid @ 230 °F 0.24 MPa @ 170 °C / 35 psid @ 335 °F		

Pressure Drop vs. Gas Flow Rate



Unit conversion : 1 bar = 100 kPa

Part Numbers / Ordering Information

AB 1 2 3 E 4

Table 1

Code	Cartridge Length ¹ (Nominal)
1	254 mm / 10 in
2	508 mm / 20 in
04	102 mm / 4 in

Table 2

Code	Removal Ratings
F002	≥ 3 nm

Table 3

Code	O-ring Specifications
3	AS568A-222
15	AS568A-226

Table 6

Code	O-ring Material ¹
H1	FEP Encapsulated Fluoroelastomer

¹ Other length and O-ring material options available.

Representative example part numbers

AB04F0023EH1
AB1F00215EH1
AB2F00215EH1



Pall Corporation

Microelectronics

25 Harbor Park Drive
Port Washington, NY 11050
+1 800 360 7255 toll free US
+1 516 484 3600 telephone
+1 516 801 9711 fax

Nihon Pall Ltd.

6-5-1, Nishishinjuku,
Shinjuku-ku
Tokyo 163-1325 Japan
+81 3 6901 5700 telephone
+81 3 5322 2109 fax

Visit us on the Web at microelectronics.pall.com

Pall Corporation has offices and plants throughout the world. For Pall representatives in your area, please go to www.pall.com/corporate_contact.asp.

Because of technological developments related to the products, systems, and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2021, Pall Corporation. Pall, , and Emflon are trademarks of Pall Corporation.

® Indicates a trademark registered in the USA. *Filtration. Separation. Solution.SM* is a service mark of Pall Corporation.