



## Gasket-Sert™ PSP Filter 1 1/8" W-seal



### Description

The Gasket-Sert PSP W-seal filter is designed to protect major components of gas panels in semiconductor gas

distribution systems. The W-seal gasket is easy to install into any system that uses W-seal-type components.

Feature	Benefit	Value
Welded to W-seal gasket	Filter can replace any W-seal gasket	Lower installation cost
Contains alignment retainer	Easy installation into system with minimal operator handling	Lower labor cost
All stainless steel construction	Broad compatibility with semiconductor process gases	Long service life
No housing required	No hold-up volume and zero gas displacement	Faster start-up time
Cleanroom packaged	High level of cleanliness	Faster start-up time
0.4 µm particle removal rating	Filter protects critical components such as regulators and MFCs	Lower cost of ownership
Low differential pressure	High flow rates with minimal flow restriction	Long service life

### Specifications

#### Wetted Materials

- Medium: 316L stainless steel (filter and gasket)

#### Removal Rating<sup>1</sup>

- ≥0.4 µm at 99.9% efficiency


#### Operating Conditions

- Maximum operating temperature  
Inert gases: 300°C / 572°F  
Anhydrous corrosive gases: 30°C / 86°F
- Maximum differential pressure  
Inside out:  
0.7 MPa at 38°C / 100 psid at 100°F  
Outside in:  
1.4 MPa at 38°C / 200 psid at 100°F


<sup>1</sup> Particle rating is based on laboratory testing with NaCl aerosol.

## Pressure Drop vs. Gas Flow Rate

### W-seal Gasket-Sert PSP Filter



## Dimensions



## Part Numbers / Ordering Information

Part Number	Wetted Materials of Construction	Fitting Type
CNF1104UPSG2	All 316L stainless steel	1 1/8" W-seal gasket

Unit conversion: 100 kilopascals = 1 bar



25 Harbor Park Drive  
 Port Washington, NY 11050  
 +1 800 360 7255 (only in US)  
 +1 516 484 3600 phone  
 microelectronics@pall.com

### Visit us on the Web at [www.pall.com/micro](http://www.pall.com/micro)

Pall Corporation has offices and plants throughout the world. For Pall representatives in your area, please go to [www.pall.com/contact](http://www.pall.com/contact).

Because of technological developments related to the products, systems, and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit [www.pall.com](http://www.pall.com) to verify that this information remains valid.

© Copyright 2009, Pall Corporation. PALL, and Gasket-Sert are trademarks of Pall Corporation.  
 ® Indicates a Pall trademark registered in the USA. Filtration. Separation. Solution.<sup>sm</sup> is a service mark of Pall Corporation.