

## UltiFuzor™ 41110 Series Degas Modules

### Description

The UltiFuzor™ 41110 series degas module is the next generation development in Pall degassing technology. The UDM41110PT1 allows digital ink jet printers to achieve high DO removal at the lowest pressure drop, prevent bubble formation and assure optimal printer performance.

The compact design allows digital ink jet printers to meet flow rate requirements up to 300 mL/min. The UDM41110PT1 is ideal for digital textile printing applications.

### Features and Benefits

- Compact size
- Low pressure drop
- High dissolved oxygen removal
- 1/8 in NPT, Female connections
- Unique hollow fiber technology
- Black housing for UV sensitive inks




### Materials of Construction

Components	Materials
Housing	Polypropylene (Black)
Hollow fiber	Polyethylene
Potting compound	Epoxy Resin

### Specifications


Flow guidelines	0 – 300 mL / min
Typical membrane surface area	0.28 m <sup>2</sup> / 3.01 ft <sup>2</sup>
Maximum operating temperature	45 °C / 113 °F
Maximum operating pressure	0.2 MPaG @ 45 °C / 30 psig @ 113 °F
Connections (Inlet/Outlet/Vacuum)	1/8" NPT, Female

### Dimensions (Nominal)




For best performance module should be installed vertically.  
For best performance module, ink should be introduced into the module slowly to eliminate any possibility of air being trapped in the module.

## Flow Rate vs Pressure Drop (Water, 20°C)<sup>1</sup>



## Dissolved Oxygen Removal vs Flow and Vacuum Level in Water



<sup>1</sup> For liquids with viscosity differing from water, multiply the pressure drop by the viscosity in mPa·s.

## Part Numbers / Ordering Information

Part Number : UDM41110PT1



Pall Corporation

### Microelectronics

25 Harbor Park Drive  
Port Washington, NY 11050  
+1 800 360 7255 toll free US  
+1 516 484 3600 telephone  
+1 516 801 9700 fax

### Nihon Pall Ltd.

6-5-1, Nishishinjuku,  
Shinjuku-ku  
Tokyo 163-1325 Japan  
+81 3 6901 5700 telephone  
+81 3 5322 2109 fax

### Visit us on the Web at [microelectronics.pall.com](http://microelectronics.pall.com)

Pall Corporation has offices and plants throughout the world. For Pall representatives in your area, please go to [www.pall.com/corporate\\_contact.asp](http://www.pall.com/corporate_contact.asp).

Because of technological developments related to the products, systems, and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit [www.pall.com](http://www.pall.com) to verify that this information remains valid.

© Copyright 2020, Pall Corporation. Pall,  and UltiFuser are trademarks of Pall Corporation. © indicates a trademark registered in the USA. **Filtration. Separation. Solution.** is a service mark of Pall Corporation.